


HZBB





~ HZBB 1 1

~

~

~

~

~

1

~ 0

7 ~

7

711

7

~

711

7

~

711

~

—

2


~

2

~

225~

027-83267669





赫兹电力
HERTZ POWER

产品宗旨：技术领先 质量可靠 轻便易用
服务宗旨：快速响应 及时到位 超过预期

FA-8633

2.1

2.2

2.3

2.4 CT

52

2.5

2.6

2.7

2.8

259

2.10

5

5T

500

Я

ш 0

Д " V

225

027-83267669

www.whhezi.com

whhezi@163.com



	10	99.999	0.001	1000	9999.9	0.1
3.4	AC220V ± 10%， 50Hz					
3.5	3.5Kg					
3.6	260mm() × 200mm() × 160mm()					
3.7	-10 50					
3.8	90%					



4.1	3	A B C	
	3		↑
	A B C		
4.2	3	a b c	
	3		↑
	a b c		
4.3	320 × 240	LED	
4.4	“ ↑ ↓ ” “ ”	“ ← → ”	
	225°		

027-83267669



4.5 0 FAT T32 U

4.6
4.7
4.8

220V
250V/3A $\varnothing 5\text{mm} \times 20\text{mm}$

5.1

5.1.1 ħ PT

5.1.2 CT

5.1.3 ħ


5.2



赫兹电力
HERTZ POWER

产品宗旨：技术领先，质量可靠，轻便易用

服务宗旨：快速响应，问题到满意，超过期





赫兹电力
HERTZ POWER

产品宗旨：技术领先，质量可靠，轻便易用

服务宗旨：快速响应，问题到满意，超过期



“

”

“

”

“

”

“

”

”



“

”

“

”

5.3.1.2

“

”

“


”

“

”

“

”



“

”

~

~

“ CT ”



星期一 2014/06/02 10:30:20

三相测试>三相变比>存储查询

试品编号：000000

试验日期：2014年06月02日10时06分

相别	实测变比	变比误差
AB/ab	5.9459	0.00%
BC/bc	5.9459	0.00%
CA/ca	5.9459	0.00%

联结组别：Yd11 分接位：09

← 存储001/020

001/020 001
020

001

5.3.3

星期一 2014/06/02 10:30:20

时钟设置

2014年06月02日
10时30分20秒
星期一

5.3.4



6.1

1

~

1

~

1

6.2

19

1

9

10

11

9

12

2

6.3

1

6.4

1

1

1

